

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	2	(motoda-his\$.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:17
S99	3	(shigeta-kou\$.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:18
S100	178	mold\$4 with (steam humidity) with (gel gelling gelled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:30
S101	70	S100 and (fiber fibre filament fibrous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:30
S102	1	S101 and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:31
S103	1	S100 and ((composite conjugate bicomponent multicomponent multi- component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:32
S104	1	(heat near5 humidity) with steam with (gel gelling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:36

S105	1	(heat near5 humidity) with steam with molding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:36
S106	6	(heat near5 humidity) same steam same (gel gelling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:37
S107	397	(heat near5 humidity) and steam and (gel gelling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:38
S108	10	S107 and ((composite conjugate bicomponent multicomponent multi- component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:38
S109	1	S108 and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:38
S110	257	S107 and (fiber fibre filament fibrous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:41
S111	3	S110 and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:41
S112	5	(heat near5 humidity) with steam with bond\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:44

S113	2	heat with humidity with steam with bond\$3 with (fiber fibre filament web nonwoven unwoven)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:45
S114	75	heat same humidity same steam same bond \$3 same (fiber fibre filament web nonwoven unwoven)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:46
S115	0	S114 and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:47
S116	3	S114 and ((composite conjugate bicomponent multicomponent multi-component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:47
S117	0	(fiber near molded near body) with (steam near treat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:54
S118	0	(fiber near molded near body) same (steam near treat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:55
S119	16	(fiber near molded near body) and (steam near treat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:55
S120	33	wet near heat near adhesion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 15:59

S121	11	S120 and (fiber fibre filament fibrous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:13
S122	1	S120 and ((composite conjugate bicomponent multicomponent multi-component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:13
S123	2	"2000215872".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:28
S124	14866	(yamamoto-hir\$.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:29
S125	803	S124 and (fiber fibre filament web yarn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:29
S126	23	S124 and ((composite conjugate bicomponent multicomponent multi-component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:30
S127	2	S126 and ((humid wet) near2 heat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:31
S128	3	S125 and ((humid wet) near2 heat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:32

S129	4	"2002134088".pn. "2002203530".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:40
S130	42	(sano-toyo\$.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:43
S131	1	S130 and ((humid wet) near2 heat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:43
S132	156	(hori-shu\$.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:46
S133	1	S132 and ((humid wet) near2 heat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:46
S134	1	S133 and ((composite conjugate bicomponent multicomponent multi- component) near (fiber fibre filament fibrous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:46
S135	0	S133 and (steam near3 jet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:48
S136	0	S130 and (steam near3 jet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:48

S137	0	S125 and (steam near3 jet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:48
S138	4	((fiber fibre filament strand yarn fibrous) near (web structure non-woven nonwoven unwoven)) with (steam near2 jet) with (bond\$4 melt\$4 fus\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:53
S139	38	((fiber fibre filament strand yarn fibrous) near (web structure non-woven nonwoven unwoven)) same (steam near2 jet) same (bond \$4 melt\$4 fus\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:55
S140	22	S139 and (particle particulate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 18:55
S141	168	(fiber fibre filament web nonwoven non-woven unwoven) with mold\$4 with (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:08
S142	2	S141 with (steam humidity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:09
S143	0	("3213549").URPN.	USPAT	OR	OFF	2010/03/03 16:10
S144	6	("3437509" "3476581" "3776799").PN. OR ("3936544").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/03 16:30
S145	3	S144 and (steam humidity)	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/03 16:33
S146	449	(fiber fibre filament web nonwoven non-woven unwoven) same mold\$4 same (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:38

S147	28	S141 and (steam humidity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:39
S148	1	S147 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:41
S149	7	S147 and (gel gelling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:41
S150	21	S147 not S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:44
S151	1842	(fiber fibre filament web nonwoven non-woven unwoven) and mold\$4 and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 16:59
S152	318	S151 and (steam humidity)	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/03 16:59
S153	17	S152 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:00
S154	17	S153 not S150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:00
S155	15	mold\$4 with ((steam water) near3 (metal near die))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:02

S156	32	mold\$4 same ((steam water) near3 (metal near die))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:05
S157	40	mold\$4 same ((steam water) near4 (metal near die))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:08
S158	8	S157 not S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:08
S159	9	(steam water) near4 (matched near metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:13
S160	3100	(fiber fibre filament web nonwoven non-woven unwoven) and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:14
S161	332	(fiber fibre filament web nonwoven non-woven unwoven) and (matched near metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:14
S162	198	S161 and (steam humidity water)	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/03 17:15
S163	190	S162 and mold\$4	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/03 17:15
S164	8	S163 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:15
S165	62	mold\$4 and ((steam water) near4 (metal near die))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:23

S166	13	S165 and platen	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:24
S167	40	(fiber fibre filament web nonwoven non-woven unwoven) with (fus\$4 bond\$4) with (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:28
S168	3	S167 and steam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:28
S169	165	(fiber fibre filament web nonwoven non-woven unwoven) same (fus\$4 bond\$4) same (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:32
S170	23	S169 and steam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:33
S171	0	S170 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:33
S172	50	(web nonwoven non- woven unwoven) same (fus\$4 bond\$4) same (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:34
S173	5	S172 and steam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:34

S174	618	(web nonwoven non-woven unwoven) and (fus\$4 bond\$4) and (metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:37
S175	88	S174 and steam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:37
S176	6	S175 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:38
S177	86	(web nonwoven non-woven unwoven) and (fus\$4 bond\$4) and (matched near metal near die)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:43
S178	3	S177 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:44
S179	61	pressure and ((steam water) near4 (metal near die))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 19:56
S180	32	S179 and (fus\$4 bond\$4 melt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 19:56
S181	162231	"156"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:03

S182	30008	S181 and mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:04
S183	1789	S182 and (heat\$4 near (roll roller body cylinder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:06
S184	282	S183 and steam\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:06
S185	165	S184 and compress\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:07
S186	161	S185 and pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:07
S187	26	S186 and ((bicomponent composite conjugate multicomponent biconstituent multiconstituent) near (fiber fibre filament))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:10
S188	0	S187 and (evoh (ethylene near vinyl near alcohol) (vinyl near alcohol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 20:10
S189	2	"4713134".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 12:14
S190	16	("1519239" "3442720" "3671365" "4410385").PN. OR ("4713134").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/04 12:15

S191	0	S190 and steam	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/04 12:17
S192	0	S190 and steam\$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/04 12:17

EAST Search History (Interference)

< This search history is empty >

3/ 4/ 10 3:35:11 PM

C:\ Documents and Settings\ jgray\ My Documents\ EAST\ Workspaces\ 10566617.wsp